

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/764,257	01/23/2004	Thomas J. Bievenue	0444.043A	8040
23405	7590 03/07/2005		EXAMINER	
HESLIN ROTHENBERG FARLEY & MESITI PC			THOMAS, COURTNEY D	
5 COLUMBIA CIRCLE ALBANY, NY 12203			ART UNIT	PAPER NUMBER
· · · · · · · · · · · · · · · · · · ·			2882	
			DATE MAILED: 03/07/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
Supplemental	10/764,257 BIEVENUE ET AL.		
Notice of Allowability	Examiner	Art Unit	_
	Courtney Thomas	2882	
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS therewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIP of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate commu GHTS. This application is s	this application. If not included nication will be mailed in due course. THIS	/e
1. X This communication is responsive to <u>1/23/04</u> .			
2. ☑ The allowed claim(s) is/are <u>1-45</u> .			
3. $igotimes$ The drawings filed on <u>23 January 2004</u> are accepted by the	e Examiner.		
4. Acknowledgment is made of a claim for foreign priority unext a) All b) Some* c) None of the:  1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner's Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in time.  7. DEPOSIT OF and/or INFORMATION about the deponattached Examiner's comment regarding REQUIREMENT	been received.  been received in Application cuments have been received of this communication to file ENT of this application.  Sitted. Note the attached EXA as reason(s) why the oath or to be submitted.  on's Patent Drawing Review of Amendment / Comment or the header according to 37 CF. Sit of BIOLOGICAL MATE	in No  in this national stage application from the a reply complying with the requirements  MINER'S AMENDMENT or NOTICE OF declaration is deficient.  ( PTO-948) attached  in the Office action of e drawings in the front (not the back) of R 1.121(d).  ERIAL must be submitted. Note the	
Attachment(s)  1. ☑ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview St Paper No./ 8), 7. ☑ Examiner's	formal Patent Application (PTO-152) Immary (PTO-413), Mail Date Amendment/Comment Statement of Reasons for Allowance -	

Art Unit: 2882

## **DETAILED ACTION**

## Allowable Subject Matter

1. Claims 1-45 remain allowed for the reasons set forth in the Office Action mailed 06.17.04.

## Conclusion

2. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure: U.S. Patent 6,504,901 to Loxley et al. discloses an apparatus comprising a housing (56, 59) having a first aperture adapted to receive an X-ray optic; wherein the X-ray optic is positionable relative an X-ray source (see Fig. 3; column 5, lines 39-44). The reference fails to disclose or suggest an alignment of the X-ray optic facilitated by the monitoring of fluorescence from a surface while moving the housing relative to the source of x-rays.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Courtney Thomas whose telephone number is (571) 272-2496. The examiner can normally be reached on M - F (9 am - 5 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ed Glick can be reached on (571) 272 2490. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/764,257

Art Unit: 2882

Page 3

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Courtney Thomas

Examiner

Art Unit 2882

DAVID V. BRUCE PRIMARY EXAMINER